

CONVERSION TABLE 3

CONVERSION TABLE BETWEEN
ICD-10, ICD-9 and ICD-8
OF CHAPTER V MENTAL AND BEHAVIOURAL DISORDERS

ICD-10	ICD-9	ICD-8
<u>F00*</u> <u>Dementia in Alzheimer's disease</u> (G30.--+)	(Use one of the following plus an additional code 331.0 for Alzheimer's disease)	
F00.0 with early onset	290.1 Presenile dementia	290.1 Pre-senile dementia
F00.1 with late onset		290.0 Senile dementia
.10 without additional symptoms	290.0 Senile dementia, simple type	
.11 with other symptoms, predominantly delusional	290.2 Senile dementia, depressed or paranoid type	
.12 with other symptoms predominantly hallucinatory	No equivalent code	
.13 with other symptoms, predominantly depressed	290.2 Senile dementia, depressed or paranoid type	
.14 with other mixed symptoms	No equivalent code	
F00.2 atypical or mixed	290.8 Other	290.- Senile and pre-senile dementia
F00.9 unspecified	290.0 Senile dementia, unspecified	290.- Senile and pre-senile dementia
<u>F01</u> <u>Vascular dementia</u>		
F01.0 Vascular dementia of acute onset	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with

ICD-10	ICD-9	ICD-8
F01.1 Multi-infarct dementia	290.4 Arteriosclerotic dementia)	293.0 Psychosis associated with cerebral arteriosclerosis
F01.2 Subcortical vascular dementia	290.4 Arteriosclerotic dementia)	
F01.3 Mixed cortical and subcortical vascular dementia	290.4 Arteriosclerotic dementia)	
F01.8 Other vascular dementia	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with other cerebrovascular disturbances
F01.9 Vascular dementia, unspecified	290.4 Arteriosclerotic dementia	No equivalent code
<u>F02* Dementia in other diseases classified elsewhere</u>		
F02.0* Dementia in Pick's disease (G31.0+)	290.1 Presenile dementia plus 331.1 Pick's disease	290.1 Pre-senile dementia
For the following sub-categories use 294.1 Dementia in conditions classified elsewhere plus an additional code as indicated:		
F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0+)	046.1 Jacob-Creutzfeldt disease	290.1 Pre-senile dementia
F02.2* Dementia in Huntington's disease (G10.+)	333.4 Huntington's chorea	293.4 Psychosis associated with degenerative diseases of central nervous system
F02.3* Dementia in Parkinson's disease (G20+)	332.0 Paralysis agitans	293.9 Psychosis associated with other and unspecified cerebral conditions plus 342 Paralysis agitans

ICD-10	ICD-9	ICD-8
F02.4* Dementia in HIV disease (B22.0+)	279.1 Deficiency of cell-mediated immunity	294.8 Psychosis associated with other physical conditions
F02.8* Dementia in other specified diseases classified elsewhere (xxx+)	another additional code	294.8 Psychosis associated with other physical conditions
<u>F03 Unspecified dementia</u>	290.9 Unspecified senile and presenile organic psychotic conditions	290.- Senile and presenile dementia
<i>Presenile dementia or psychosis NOS</i>	290.1 Presenile dementia	290.1 Presenile dementia
<i>Senile dementia, NOS</i>	290.0 Senile dementia, simple type	290.0 Senile dementia
<i>Senile dementia, depressed or paranoid type</i>	290.2 Senile dementia, depressed or paranoid type	290.0 Senile dementia
<u>F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances</u>	294.0 Korsakov's psychosis or syndrome (nonalcoholic)	293.9 Psychosis associated with other and unspecified cerebral conditions
<u>F05 Delirium, not induced by alcohol and other psychoactive substances</u>		
F05.0 Delirium, not superimposed on dementia, so described	293.0 Acute confusional state 293.1 Subacute confusional state	292.- Psychosis associated with intracranial infection 293.- Psychosis associated with other cerebral conditions 294.- Psychosis associated with other physical conditions

ICD-10	ICD-9	ICD-8
F05.1 Delirium, superimposed on dementia	290.3 Senile dementia with acute confusional state	290.0 Senile and presenile dementia
F05.8 Other delirium	293.8 Other transient organic psychotic conditions	No equivalent code
F05.9 Delirium, unspecified	293.9 Unspecified transient organic psychotic conditions	No equivalent code
F06 <u>Other mental disorders due to brain damage and dysfunction and to physical disease</u>		292.- Psychosis associated with intracranial infection 293.- Psychosis associated with other cerebral conditions 294.- Psychosis associated with other physical conditions 309.- Mental disorders, not specified as psychotic associated with physical conditions
F06.0 Organic hallucinosis)	294.8 Other organic psychotic conditions	
F06.1 Organic catatonic disorders)		
F06.2 Organic delusional [schizophrenia-like] disorders)		
F06.3 Organic mood [affective] disorders)		
F06.4 Organic anxiety disorders)	310.8 Other specific nonpsychotic mental disorders following organic brain damage	
F06.5 Organic dissociative disorder)		
F06.6 Organic emotionally labile [asthenic] disorders)	310.1 Cognitive or personality change of other type	
F06.7 Mild cognitive disorder)		

ICD-10	ICD-9	ICD-8
F06.8 Other specified	294.8 Other organic psychotic conditions	
F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease	294.9 Unspecified organic psychotic conditions	
<u>F07 Personality and behavioural disorders due to brain disease, damage and dysfunction</u>	<u>310 Specific nonpsychotic mental disorders following organic brain damage</u>	
F07.0 Organic personality disorder	310.0 Frontal lobe syndrome 310.1 Cognitive or personality change of other type	309.- Mental disorders not specified as psychotic, associated with physical conditions
F07.1 Postencephalitic syndrome	310.8 Other	309.0 Mental disorders not specified as psychotic, associated with intracranial infections
F07.2 Post concussional syndrome	310.2 Post concussional syndrome	309.2 Mental disorders not specified as psychotic, associated with brain trauma
F07.8 Other and	310.8 Other)	309.9 Mental disorders not specified as psychotic, associated with other or unspecified physical conditions
F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction	310.9 Unspecified)	
<u>F09 Unspecified organic or symptomatic mental disorder</u>	294.9 Unspecified organic psychotic conditions 293.9 Unspecified transient organic psychotic conditions	292.9 Psychosis associated with other and unspecified intracranial infection 293.9 Psychosis associated with other

ICD-10	ICD-9	ICD-8
		and unspecified cerebral condition
		294.9 Psychosis associated with unspecified physical condition
		309.9 Mental disorders not specified as psychotic associated with other or unspecified physical conditions
<u>F10 Mental and behavioural disorders due to use of alcohol</u>		
F10.0 Acute intoxication	305.0 Nondependent abuse of alcohol	No equivalent code
.07 Pathological intoxication	291.4 Pathological drunkenness	291.9 Other and unspecified alcoholic psychoses
F10.1 Harmful use	305.0 Nondependent abuse of alcohol	303.0 Episodic excessive drinking 303.1 Habitual excessive drinking
F10.2 Dependence syndrome	303 Alcohol dependence syndrome	303.2 Alcohol addiction
F10.3 Withdrawal state	291.8 Other alcoholic psychoses <i>Alcohol withdrawal syndrome</i>	No equivalent code
F10.4 Withdrawal state with delirium	291.0 Delirium tremens	291.0 Delirium tremens
F10.5 Psychotic disorder	291.3 Other alcoholic hallucinosis 291.5 Alcoholic jealousy 291.8 Other alcoholic psychoses 291.9 Alcoholic psychosis, unspecified	291.2 Other alcoholic hallucinosis 291.3 Alcoholic paranoia 291.9 Other and unspecified
F10.6 Amnesic syndrome	291.1 Korsakov's psychosis, alcoholic	291.1 Korsakov's psychosis (alcoholic)

ICD-10		ICD-9		ICD-8	
F10.7	Residual and late onset psychotic disorder	291.8	Other alcoholic psychosis	291.9	Other and unspecified alcoholic psychoses
	.73 Dementia	291.2	Other alcoholic dementia	291.9	Other and unspecified alcoholic psychoses
F10.8	Other mental and behavioural disorders	291.8	Other alcoholic psychoses	291.9	Other and unspecified alcoholic psychoses
				303.9	Other and unspecified alcoholism
F10.9	Unspecified mental and behavioural disorder	291.9	Alcoholic psychosis, unspecified	393.0	Other and unspecified alcoholism
<u>F1 Mental and behavioural disorder due to use of:</u>					
F11	opioids				
F12	cannabinoids				
F13	sedatives or hypnotics				
F14	cocaine				
F15	other stimulants, including caffeine				
F16	hallucinogens				
F17	tobacco				
F18	volatile solvents				
F19	multiple drug use and other psychoactive substances				
F1x.0	Acute intoxication	305	<u>Nondependent abuse of drugs</u>	294.3	Psychosis associated with drug or poison intoxication
	F11.0	305.5	Morphine type		
	F12.0	305.2	Cannabis		
	F13.0	305.4	Barbiturates and tranquillizers		
	F14.0	305.6	Cocaine		
	F15.0	305.7	Amphetamine type		
	F16.0	305.3	Hallucinogens		

ICD-10	ICD-9	ICD-8
F17.0	305.1 Tobacco	
F18.0 + F19.0	305.9 Other, mixed or unspecified	
.03 With delirium	292.8 Other drug psychoses	
.07 Pathological intoxication	292.2 Pathological drug intoxication	
F1x.1 Harmful use (specify for type of drug as above)	<u>305 Nondependent abuse of drugs</u> (specify for type of drug as above)	No equivalent code
F1x.2 Dependence syndrome	<u>304 Drug dependence</u>	<u>304 Drug dependence</u>
F11.2	304.0 Morphine type	304.0 Opium, opium alkaloids and their derivatives
		304.1 Synthetic analgesics with morphine-like effects
F12.2	304.3 Cannabis	304.5 Cannabis sativa
F13.2	304.1 Barbiturate type	304.2 Barbiturates
		304.3 Other hypnotics and sedatives and tranquilizers
F14.2	304.2 Cocaine	304.4 Cocaine
F15.2	304.4 Amphetamine type and other psychostimulants	304.5 Other psycho-stimulants
F16.2	304.5 Hallucinogens	304.7 Hallucinogens
F17.2	305.1 Tobacco dependence	No equivalent code
F18.2	304.6 Other	304.8 Other and combined drugs
F19.2	304.7 Combinations of morphine type with any other	304.8 Other and combined drugs
	304.8 Combinations excluding	304.9 Unspecified drug dependence

ICD-10	ICD-9	ICD-8
	morphine type drug	
	304.6 Other	
	304.9 Unspecified	
F1x.3 Withdrawal state (F11.3 - F19.3)	292.0 Drug withdrawal syndrome	294.3 Psychosis associated with drug or poison intoxication
F1x.4 Withdrawal state with delirium (F11.4 - F19.4)	292.0 Drug withdrawal syndrome	294.3 Psychosis associated with drug drug or poison intoxication
F1x.5 Psychotic disorder (F11.5 - F19.5)	292.1 Paranoid and/or hallucinatory states induced by drugs	294.3 Psychosis associated with drug or poison intoxication
F1x.6 Amnesic syndrome (F11.6 - F19.6)	294.0 Korsakov's psychosis or syndrome (nonalcoholic)	294.3 Psychosis associated with drug or poison intoxication
F1x.7 Residual and late onset psychotic disorder (F11.7 - F19.7)	292.8 Other drug psychoses	294.3 Psychosis associated with drug or poison intoxication
F1x.8 Other mental and behavioural disorders	292.8 Other drug psychoses	294.3 Psychosis associated with drug or poison intoxication
F1x.9 Unspecified mental and behavioural disorders (F11.9 - F19.9)	292.9 Unspecified drug psychoses	294.3 Psychosis associated with drug or poison intoxication
<u>F20 Schizophrenia</u>	<u>295 Schizophrenic psychoses</u>	<u>295 Schizophrenia</u>
F20.0 Paranoid schizophrenia	295.3 Paranoid type	295.3 Paranoid type
F20.1 Hebephrenic schizophrenia	295.1 Hebephrenic type	295.1 Hebephrenic type
F20.2 Catatonic schizophrenia	295.2 Catatonic type	295.2 Catatonic type
F20.3 Undifferentiated	295.8 Other schizophrenic psychoses	295.8 Other specified types

ICD-10		ICD-9		ICD-8	
schizophrenia				of schizophrenia	
F20.4	Post-schizophrenic depression	No equivalent code		No equivalent code	
F20.5	Residual schizophrenia	295.6	Residual schizophrenia	295.6	Residual schizophrenia
F20.6	Simple schizophrenia	295.0	Simple type	295.0	Simple type schizophrenia
F20.8	Other schizophrenia	295.8	Other	295.8	Other specified types of schizophrenia
F20.9	Schizophrenia, unspecified	295.9	Unspecified	295.9	Schizophrenia, unspecified type
<u>F21</u>	<u>Schizotypal disorder</u>	295.5	Latent schizophrenia	295.5	Latent schizophrenia
<u>F22</u>	<u>Persistent delusional disorders</u>	<u>297</u>	<u>Paranoid states</u>	<u>297</u>	<u>Paranoid states</u>
F22.0	Delusional disorder	297.0	Paranoid state, simple	297.0	Paranoia
		297.1	Paranoia		
	<i>Paraphrenia (late)</i>	297.2	Paraphrenia	297.1	Involucional paraphrenia
	<i>Sensitiver Beziehungswahn</i>	297.8	Other	297.9	Other paranoid states
F22.8	Other persistent delusional disorders	297.8	Other	297.9	Other paranoid states
	<i>Involucional paranoid state</i>	297.2	Paraphrenia	297.1	Involucional paraphrenia
F22.9	Persistent delusional disorder, unspecified	297.9	Paranoid state, unspecified	297.9	Other paranoid states
<u>F23</u>	<u>Acute and transient psychotic disorders</u>	NOTE:	The presence of stress may determine the choice of the equivalent code in ICD-9 and ICD-8.		

ICD-10		ICD-9		ICD-8	
F23.0	Acute polymorphic psychotic disorder without symptoms of schizophrenia	298.3	Acute paranoid reaction	298.3	Acute paranoid reaction
		298.2	Reactive confusion	298.2	Reactive confusion
				298.9	Reactive psychosis, unspecified
F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia	295.4	Acute schizophrenic episode	295.4	Acute schizophrenic episode
		298.3	Acute paranoid reaction	298.3	Acute paranoid reaction
F23.2	Acute schizophrenia-like psychotic disorder	295.4	Acute schizophrenic episode	295.4	Acute schizophrenic episode
		298.3	Acute paranoid reaction	298.3	Acute paranoid reaction
F23.3	Other acute predominantly delusional psychotic disorders	298.3	Acute paranoid reaction	298.3	Acute paranoid reaction
		298.4	Psychogenic paranoid psychosis		
F23.8	Other acute and transient psychotic disorders	298.2	Reactive confusion	298.2	Reaction confusion
		298.8	Other and unspecified reactive psychosis		
F23.9	Acute and transient psychotic disorders, unspecified	298.8	Other and unspecified reactive psychosis	298.9	Reactive psychosis, unspecified
F24	<u>Induced delusional disorder</u>	297.3	Induced psychosis	297.9	Other paranoid states
		298.4	Psychogenic paranoid psychosis		
<u>F25</u>	<u>Schizoaffective disorders</u>)	295.7	Schizophrenic psychosis, schizoaffective type	295.7	Schizo-affective type of schizophrenia
F25.0	Schizoaffective disorder, manic type)	296.6	Manic-depressive psychosis, other and unspecified	296.8	Other affective psychoses
F25.1	Schizoaffective disorder, depressive type)	296.8	Other affective psychoses		
F25.2	Schizoaffective disorder, mixed type)				
F25.8	Other schizoaffective disorder)				
F25.9	Schizoaffective disorder,)				

ICD-10	ICD-9	ICD-8
unspecified)		
<u>F28 Other nonorganic psychotic disorders</u>	No equivalent code	No equivalent code
<u>F29 Unspecified nonorganic psychosis</u>	298.9 Unspecified psychosis	299 Unspecified psychosis
<u>F30 Manic episode</u>		
F30.0 Hypomania)	296.0 Manic-depressive psychosis, manic type	296.1 Manic-depressive psychosis, manic type
F30.1 Mania without psychotic symptoms)		
F30.2 Manic with psychotic symptoms)		
F30.8 Other manic episodes	296.6 Manic-depressive psychosis 298.1 Other nonorganic psychosis, excitative type	296.8 Other affective psychoses 298.1 Reactive excitation
F30.9 Manic episode, unspecified	296.6 Manic-depressive psychosis, other and unspecified	296.9 Unspecified affective psychosis
<u>F31 Bipolar affective disorder</u>		
F31.0 Current episode hypomanic)	296.2 Manic-depressive psychosis, circular type but currently manic	(296.1 Manic-depressive psychosis, manic type (
F31.0 Current episode manic without psychotic symptoms)		(296.3 Manic-depressive psychosis, circular type
F31.2 Current episode manic with psychotic symptoms)		
F31.3 Current episode mild or moderate depression)	296.3 Manic-depressive psychosis, circular type but currently depressed	(296.2 Manic-depressive psychosis, depressed type (
F31.4 Current episode severe depression without psychotic symptoms)		(296.3 Manic-depressive psychosis, circular type
F31.5 Current episode severe)		

ICD-10	ICD-9	ICD-8
depression with psychotic symptoms))		
F31.6 Current episode mixed	296.4 Manic depressive psychosis circular type, mixed	296.8 Other affective psychoses
F31.7 Currently in remission	296.5 Manic-depressive psychosis, circular type, current condition not specified 296.6 Manic-depressive psychosis other and unspecified	296.3 Manic-depressive psychosis, circular type
F31.8 Other bipolar affective disorders	296.6 Manic-depressive psychosis, other and unspecified	296.3 Manic-depressive psychosis, circular type
F31.9 Bipolar affective disorder, unspecified	296.5 Manic-depressive psychosis, circular type, current condition not specified 296.6 Manic-depressive psychosis, other and unspecified	296.3 Manic-depressive psychosis, circular type 296.9 Affective psychosis, unspecified
F32 Depressive episodes		
F32.0 Mild depressive episode	300.4 Neurotic depression	300.4 Depressive neurosis
F32.1 Moderate depressive episode)	(296.1 Manic-depressive psychosis	(296.0 Involuntional melancholia
F32.2 Severe depressive episode)	(depressed type	(296.2 Manic-depressive psychosis,
without psychotic symptoms)	(298.0 Other nonorganic psychosis	(depressed type
F32.3 Severe depressive episode)	(depressive type	(298.0 Reactive depressive psychosis
with psychotic symptoms)		
F32.8 Other depressive episodes	296.1 Manic-depressive psychosis, depressed type 296.8 Other affective psychoses 313.2 Disturbance of emotion	296.0 Involuntional melancholia 296.2 Manic-depressive psychosis, depressed type

ICD-10		ICD-9		ICD-8
			specific to childhood and adolescence, with misery and unhappiness	
F32.9	Depressive episode, unspecified	296.6	Manic-depressive psychosis, other and unspecified	
		311	Depressive disorder, not elsewhere classified	296.9
				Unspecified affective psychosis
<u>F33</u>	<u>Recurrent depressive disorder</u>			
F33.0	current episode mild	300.4	Neurotic depression	300.4
F33.1	current episode moderate	(296.1	Manic-depressive psychosis, depressed type	(296.2
F33.2	current episode severe	((
	with psychotic symptoms	(298.0	Other nonorganic psychoses	(296.0
F33.3	current episode severe, with psychotic symptoms	(depressive type	(298.0
				Reactive depressive psychosis
F33.4	Currently in remission	296.5	Manic-depressive psychosis, circular type, current condition not specified	296.8
		296.6	Manic-depressive psychosis, other and unspecified	
F33.8	Other recurrent depressive disorders	296.6	Manic-depressive psychosis, other and unspecified	296.8
F33.9	Recurrent depressive disorder, unspecified	296.6	Manic-depressive psychosis, other and unspecified	296.9
				Unspecified affective psychosis
<u>F34</u>	<u>Persistent mood [affective] disorders</u>			
F34.0	Cyclothymia	301.1	Affective personality	301.1
				Affective personality

ICD-10	ICD-9	ICD-8
	disorder 296.5 Manic-depressive psychosis, circular type, current condition not specified	disorder 296.3 Manic-depressive psychosis, circular type
F34.1 Dysthymia	300.4 Neurotic depression 301.1 Affective personality disorder	300.4 Depressive neurosis 301.1 Affective personality disorder
F34.8 Other persistent mood [affective] disorders	296.8 Other affective psychoses	296.8 Other affective psychoses
F34.9 Persistent mood [affective] disorder, unspecified	296.9 Unspecified affective psychosis	296.9 Unspecified affective psychosis
<u>F38 Other mood [affective] disorder</u>		
F38.0 Other single mood [affective] disorder .00 mixed affective episode	311 Depressive disorder, not elsewhere classified 296.8 Other affective psychoses 296.4 Manic-depressive psychosis, circular type, mixed	296.8 Other affective psychoses 298.0 Reactive depressive psychosis
F38.1 Other recurrent mood (affective) disorder .10 recurrent brief depressive disorder	296.6 Manic-depressive psychosis, other and unspecified 296.1 Manic-depressive psychosis, depressed type	296.8 Other affective psychoses 298.0 Reactive depressive psychosis
F38.8 Other specified mood (affective) disorders	296.8 Other affective psychoses	296.8 Other affective psychoses
<u>F39 Unspecified mood (affective) disorder</u>	296.9 Affective psychosis, unspecified	296.9 Affective psychosis, unspecified
<u>F40 Phobic anxiety disorders</u>)	300.2 Phobic state	300.2 Phobic neurosis

ICD-10		ICD-9	ICD-8
F40.0	Agoraphobia) .00 without panic disorder) .01 with panic disorder)		
F40.1	Social phobias)		
F40.2	Specific (isolated) phobias)		
F40.8	Other phobic anxiety disorder)		
F40.9	Phobic anxiety disorder,) unspecified)		
<u>F41 Other anxiety disorders</u>			
F41.0	Panic disorder)	300.0 Anxiety states	300.0 Anxiety neurosis
F41.1	Generalized anxiety disorder)		
F41.2	Mixed anxiety and) depressive disorders	300.4 Neurotic depression	300.4 Depressive neurosis
F41.3	Other mixed anxiety disorders	300.0 Anxiety states	300.0 Anxiety neurosis
F41.8	Other specified anxiety disorders	300.0 Anxiety states	300.0 Anxiety neurosis
	<i>Anxiety hysteria</i>	300.2 Phobic state	300.2 Phobic neurosis
F41.9	Anxiety disorder, unspecified	300.0 Anxiety states	300.0 Anxiety neurosis
<u>F42 Obsessive-compulsive disorder</u>)		300.3 Obsessive-compulsive) disorders	300.3 Obsessive-compulsive neurosis
F42.0	Predominantly obsessional) thoughts or ruminations)		
F42.1	Predominantly compulsive acts)		
F42.2	Mixed obsessional thoughts) and acts)		
F42.8	Other obsessive-compulsive) disorders)		
F42.9	Obsessive-compulsive disorder,) unspecified)		

ICD-10	ICD-9	ICD-8
<u>F43</u> <u>Reaction to severe stress, and adjustment disorders</u>		<u>307</u> <u>Transient situational disturbances</u> 308.4 Adjustment reaction of childhood
F43.0 Acute stress reaction	<u>308</u> <u>Acute reaction to stress</u> 308.0 Predominant disturbances of emotions 308.1 Predominant disturbances of consciousness 308.2 Predominant psychomotor disturbance 308.3, .4, .9 Other, mixed and unspecified acute reaction to stress	
F43.1 Post-traumatic stress disorder	309.8 Other adjustment reaction	
F43.2 Adjustment disorders .20 brief depressive reaction .21 prolonged depressive reaction .22 mixed anxiety and depressive reaction) .23 with predominant disturbance of other emotions) .24 with predominant disturbance of conduct) .25 with mixed disturbance of emotions and conduct) .28 with other specified predominant symptoms)	<u>309</u> <u>Adjustment reaction</u> 309.0 Brief depressive reaction 309.1 Prolonged depressive reaction 309.2 With predominant disturbance of other emotions 309.3 With predominant disturbance of conduct 309.4 With mixed disturbance of emotions and conduct 309.8 Other adjustment reactions	
F43.8 Other reactions to severe	308.3 Other acute reactions to stress	

ICD-10	ICD-9	ICD-8
stress	309.8 Other adjustment reactions	
F43.9 Reaction to severe stress, unspecified	308.9 Reaction to stress, unspecified 309.9 Adjustment reaction, unspecified	
<u>F44 Dissociative [conversion] disorders</u>	300.1 Hysteria	300.1 Hysterical neurosis
F44.0 Dissociative amnesia		
F44.1 Dissociative fugue		
F44.2 Dissociative stupor		
F44.3 Trance and possession disorders		
F44.4 Dissociative motor disorders		
F44.5 Dissociative convulsions		
F44.6 Dissociative anaesthesia and sensory loss		
F44.7 Mixed dissociative [conversion] disorders		
F44.8 Other dissociative [conversion] disorders		
.80 Ganser syndrome		
.81 multiple personality disorder)		
.82 transient dissociative [conversion] disorders occurring in childhood and adolescence		
F44.9 Dissociative [conversion] disorders, unspecified		
<u>F45 Somatoform disorders</u>		
F45.0 Somatization disorder	300.8 Other neurotic disorders	300.8 Other neuroses
F45.1 Undifferentiated somatization disorder		
F45.2 Hypochondriacal disorder	300.7 Hypochondriasis	300.7 Hypochondriacal neurosis

ICD-10	ICD-9	ICD-8
F45.3	306	305
Somatoform autonomic dysfunction	<u>Physiological malfunction arising from mental factors</u>	<u>Physical disorders of presumably psychogenic origin</u>
.30 the heart and cardiovascular system	306.2 Cardiovascular	305.3 Cardiovascular
.31 the upper gastrointestinal tract	306.4 Gastrointestinal	305.5 Gastrointestinal
.32 the lower gastrointestinal tract	306.4 Gastrointestinal	305.5 Gastrointestinal
.33 the respiratory system	306.1 Respiratory	305.2 Respiratory
.34 the genitourinary tract	306.5 Genito-urinary	305.6 Genito-urinary
.38 other organ or system	306.8 Other	305.9 Other
F45.4	307.8	306.8
Persistent somatoform pain disorder	Psychalgia	Cephalalgia
		306.9 Other
F45.8	306	305
Other somatoform disorders	<u>Physiological malfunction arising from mental factors</u>	<u>Physical disorders of presumably psychogenic origin</u>
	306.0 Musculoskeletal	305.1 Musculoskeletal
	306.6 Endocrine	305.4 Haemic and lymphatic
	306.7 Organs of special sense	305.7 Endocrine
	306.8 Other	305.8 Organs of special sense
		305.9 Other
<i>Psychogenic</i>		
. <i>dysmenorrhoea</i>	306.5 Genito-urinary	305.6 Genito-urinary
. <i>dysphagia</i>	306.4 Gastrointestinal	305.5 Gastro-intestinal
. <i>pruritus</i>	306.3 Skin	305.0 Skin
F45.9	306.9	305.9
Somatoform disorder, unspecified	Unspecified physiological malfunction arising from mental factors	Cephalalgia
		306.9 Other
<u>F48</u>		
<u>Other neurotic disorders</u>		

ICD-10		ICD-9		ICD-8	
F48.0	Neurasthenia	300.5	Neurasthenia	300.5	Neurasthenia
F48.1	Depersonalization-derealization syndrome	300.6	Depersonalization syndrome	300.6	Depersonalization syndrome
F48.8	Other specified neurotic disorders	300.8	Other neurotic disorders	300.8	Other specified neuroses
F48.9	Neurotic disorder, unspecified	300.9	Unspecified neurotic disorder	300.9	Unspecified neurosis
<u>F50</u>	<u>Eating disorders</u>			306.5	Feeding disturbances
F50.0	Anorexia nervosa	307.1	Anorexia nervosa		
F50.1	Atypical anorexia)	307.5	Other and unspecified		
F50.2	Bulimia nervosa)		disorders of eating		
F50.3	Atypical bulimia)				
F50.4	Overeating and)				
F50.5	Vomiting associated with)				
	other psychological disturbance				
F50.8	Other eating disorders)				
F50.9	Eating disorder, unspecified)				
<u>F51</u>	<u>Nonorganic sleep disorders</u>	307.4	Specific disorders of sleep	306.4	Specific disorders of sleep
F51.0	Nonorganic insomnia)				
F51.1	Nonorganic hypersomnia)				
F51.2	Nonorganic disorder of the)				
	sleep-wake cycle)				
F51.3	Sleepwalking)				
F51.4	Sleep terrors)				
F51.5	Nightmares)				
F51.8	Other nonorganic sleep disorders)				
F51.9	Nonorganic sleep disorder,)				
	unspecified)				

ICD-10	ICD-9	ICD-8
<u>F52 Sexual dysfunction, not caused by organic disorder or disease</u>		305.6 Genito-urinary disorders of presumably psychogenic origin
F52.0 Lack or loss of sexual desire)	302.7 Frigidity and impotence	
F52.1 Sexual aversion and lack of sexual enjoyment)		
F52.2 Failure of genital response)		
F52.3 Orgasmic dysfunction)		
F52.4 Premature ejaculation)		
F52.5 Nonorganic vaginismus)		
F52.6 Nonorganic dyspareunia)		
F52.7 Excessive sexual drive	302.8 Other sexual deviations and disorders	
F52.8 Other sexual dysfunction not caused by organic disorder or disease	302.8 Other sexual deviations and disorders	
F52.9 Unspecified sexual dysfunction, not caused by organic disorder or disease	302.9 Unspecified sexual deviations and disorders	
<u>F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified</u>	Use code 648.4 (mental disorders in the mother complicating the puerperium) + one of the following:	Use code 677.9 (Other and unspecified complications of the puerperium) + one of the following:
F53.0 Mild <i>Postpartum depression NOS</i>	311 Depressive disorder not elsewhere classified	298.0 Reactive depressive psychosis
F53.1 Severe <i>Puerperal psychosis NOS</i>	298.8 Other and unspecified reactive psychosis	294.4 Psychosis associated with childbirth

ICD-10		ICD-9	ICD-8
F53.8	Other)	No equivalent code	No equivalent code
F53.9	Puerperal mental disorder) unspecified)		
<u>F54</u>	<u>Psychological or behavioural factors associated with disorders or diseases classified elsewhere</u>	316 Psychic factors associated with diseases classified elsewhere	No equivalent code
	+ additional code to specify associated disorder	+ additional code to specify associated disease	
<u>F55</u>	<u>Abuse of substances not producing dependence</u>		No equivalent code
F55.0	Antidepressants	305.8 Nondependent abuse of antidepressants	
F55.1	Laxatives)	305.9 Nondependent abuse of other, mixed or unspecified drugs	
F55.2	Analgesics)		
F55.3	Antacids)		
F55.4	Vitamins)		
F55.5	Steroids or hormones)		
F55.6	Specific herbal or folk remedies)		
F55.8	Other)		
F55.9	Unspecified)		
<u>F59</u>	<u>Unspecified behavioural syndromes associated with physiological disturbances and physical factors</u>	306.9 Unspecified physiological malfunction arising from mental factors	309.9 Mental disorders not specified as psychotic associated with other and unspecified physical condition

ICD-10		ICD-9		ICD-8	
<u>F60</u>	<u>Specific personality disorder</u>	<u>301</u>	<u>Personality disorders</u>	<u>301</u>	<u>Personality disorders</u>
F60.0	Paranoid pers. disorder	301.0	Paranoid pers. disorder	301.0	...paranoid
F60.1	Schizoid pers. disorder	301.2	Schizoid pers. disorder	301.2	...schizoid
F60.2	Dissocial pers. disorder	301.7	Personality disorder with predominantly sociopathic or asocial manifestation	301.7	...antisocial
F60.3	Emotionally unstable) pers. disorder) .30 impulsive type) .31 borderline type	301.3	Explosive pers. disorder	301.3	...explosive
		301.8	Other pers. disorders	301.8	...other
F60.4	Histrionic pers. disorder	301.5	Hysterical pers. disorders	301.5	...hysterical
F60.5	Anankastic pers. disorders	301.4	Anankastic pers. disorder	301.4	...anankastic
F60.6	Anxious (avoidant) pers.	301.8	Other pers. disorders	301.8	...other
F60.7	Dependent pers. disorder	301.6	Asthenic pers. disorder	301.6	...asthenic
F60.8	Other specific pers. disorder	301.8	Other pers. disorders	301.8	...other
F60.9	Specific pers. disorder, unspecified	301.9	Unspecified pers. disorder	301.9	...unspecified
<u>F61</u>	<u>Mixed and other pers. disorders</u>	301.8	Other pers. disorders	301.8	Other personality disorders
<u>F62</u>	<u>Enduring personality changes</u>) <u>not attributable to brain</u>) <u>damage and disease</u>)		No equivalent code		No equivalent code
F62.0	Enduring pers. change)				

ICD-10	ICD-9	ICD-8
F61.2	after catastrophic experience) Enduring pers. change after) psychiatric illness)	
F62.8	Other enduring personality) change)	
F62.9	Enduring personality change,) unspecified)	
<u>F63</u>	<u>Habit and impulse disorder</u>	No equivalent code
F63.0	Pathological gambling)	312.2 Compulsive conduct disorder
F63.1	Pathological fire-setting)	
F63.2	Pathological stealing)	
F63.3	Trichotillomania	No equivalent code
F63.8	Other habit and impulse) disorders)	
F63.9	Habit and impulse disorder,) unspecified)	312.2 Compulsive conduct disorder
<u>F64</u>	<u>Gender identity disorders</u>	
F64.0	Transsexualism	302.5 Trans-sexualism 302.8 Other sexual deviations
F64.1	Dual role transvestism	302.3 Transvestism 302.8 Other sexual deviations 302.6 Disorders of psychosexual identity
F64.2	Gender identity disorder) of childhood)	302.6 Disorders of psychosexual identity No equivalent code
F64.8	Other and)	
F64.9	Gender identity disorder,) unspecified)	

ICD-10		ICD-9		ICD-8	
<u>F65 Disorders of sexual preference</u>					
F65.0	Fetishism	302.8	Other sexual deviations and disorders	302.1	Fetishism
F65.1	Fetishistic transvestism	302.3	Transvestism	302.3	Transvestism
F65.2	Exhibitionism	302.4	Exhibitionism	302.4	Exhibitionism
F65.3	Voyeurism	302.8	Other sexual deviations and disorders	302.8	Other
F65.4	Paedophilia	302.2	Paedophilia	302.2	Paedophilia
F65.5	Sado-masochism)	302.8	Other sexual deviations and disorders	302.8	Other sexual deviations
F65.6	Multiple disorders of sexual preference)	302.1	Bestiality		
F65.8	Other disorders of sexual preference)				
F65.9	Disorder of sexual preference, unspecified	302.9	Unspecified sexual deviations and disorders	302.9	Unspecified sexual deviation
<u>F66 Psychological and behavioural disorders associated with sexual development and orientation</u>				No equivalent code	
F66.0	Sexual maturation disorder	302.6	Disorders of psychosexual identity		
F66.1	Ego-dystonic sexual orientation)	No equivalent code			
F66.2	Sexual relationship disorder)				
F66.8	Other psychosexual development disorder)				

ICD-10	ICD-9	ICD-8
F66.9 Psychosexual development disorder, unspecified))	
<u>F68 Other disorders of adult personality and behaviour</u>		No equivalent code
F68.0 Elaboration of physical symptoms for psychological reasons	316	Psychic factors associated with diseases classified elsewhere
F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological (factitious disorder)	No equivalent code Consider: 301.8	Other personality disorders
F68.8 Other specified disorders of adult personality and behaviour	301.8 V40.3 V61.1 V61.2	Other personality disorders Other behavioural problems Marital problems Parent and child problems
<u>F69 Unspecified disorder of adult personality and behaviour</u>	301.9 V40.9	Unspecified personality disorder Unspecified mental or behavioural problems
<u>F70 Mild mental retardation</u>	317	Mild mental retardation
<u>F71 Moderate mental retardation</u>	318.0	Moderate mental retardation
<u>F72 Severe mental retardation</u>	318.1	Severe mental retardation
<u>F73 Profound mental retardation</u>	318.2	Profound mental retardation

ICD-10	ICD-9	ICD-8
<u>F78</u> <u>Other mental retardation</u>	No equivalent code	No equivalent code
<u>F79</u> <u>Unspecified mental retardation</u>	319 Unspecified mental retardation	315 Unspecified mental retardation
4th character to specify the extent associated behavioural impairment:	If applicable, use additional code to specify behavioural problem or disorder	4-digit subdivisions to be used with categories 310-315:
F7x.0 No, or minimal impairment of behaviour		.0 following infections and intoxications
F7x.1 Significant impairment of behaviour requiring attention or treatment		.1 following trauma or physical agents
F7x.8 Other impairments of behaviour		.2 associated with disorders of metabolism, growth, or nutrition
F7x.9 Without mention of impairment of behaviour		.3 associated with gross brain disease (postnatal)
		.4 associated with diseases and conditions due to (unknown) prenatal influence
		.5 associated with chromosomal abnormalities
		6.
associated with prematurity		.7 following major psychiatric disorder
		.8 associated with psychosocial (environmental) deprivation
		.9 other and unspecified
<u>F80</u> <u>Specific developmental disorders of speech and language</u>)	315.3 Developmental speech or language disorder)	306.0 Speech disturbances)
F80.0 Specific speech articulation disorder)		

ICD-10	ICD-9	ICD-8
F80.1 Expressive language disorder) F80.2 Receptive language disorder)		
F80.3 Acquired aphasia with epilepsy	345.8 Other epilepsy plus: 784.3 Aphasia	
F80.8 Other developmental disorders) of speech and language) F80.9 Developmental disorder of) speech and language,) unspecified	315.3 Developmental speech or language disorder	
<u>F81 Specific developmental disorders of scholastic skills</u>		306.1 Specific learning disturbance
F81.0 Specific reading disorder	315.0 Specific reading retardation	
F81.1 Specific spelling disorder	315.0 Specific reading retardation <i>Specific spelling difficulty</i>	
F81.2 Specific disorder of arithmetical skills	315.1 Specific arithmetical retardation	
F81.3 Mixed disorder of scholastic skills	315.5 Mixed development disorder	
F81.8 Other developmental disorders of scholastic skills	315.2 Other specific learning difficulties	
F81.9 Developmental disorder of scholastic skills, unspecified	315.9 Specific delays in development, unspecified	
<u>F82 Specific developmental disorder of motor functions</u>	315.4 Specific motor retardation	306.3 Other psychomotor disorders

ICD-10		ICD-9	ICD-8
<u>F83</u>	<u>Mixed specific developmental disorders</u>	315.5	Mixed developmental disorder
<u>F84</u>	<u>Pervasive developmental disorders</u>		
F84.0	Childhood autism)	299.0	Infantile autism
F84.1	Atypical autism)		308.0 Infantile autism
F84.2	Rett's syndrome)		
F84.3	Other childhood disintegrative disorder	299.1	Disintegrative psychosis
F84.4	Overactive disorder associated with mental retardation and stereotyped movements)	299.8	Other psychoses with origin specific to childhood
F84.5	Asperger's syndrome)		No equivalent code
F84.8	Other pervasive developmental disorders)		No equivalent code
F84.9	Pervasive developmental disorder, unspecified	299.9	Unspecified psychosis with origin specific to childhood
<u>F88</u>	<u>Other disorders of psychological development</u>	315.8	Other delays in development
<u>F89</u>	<u>Unspecified disorder of psychological development</u>	315.9	Unspecified delay in development
<u>F90</u>	<u>Hyperkinetic disorders</u>		308.3 Hyperkinetic syndrome of childhood
F90.0	Disturbance of activity and attention	314.0	Simple disturbance of activity and attention
		314.1	Hyperkinesia with developmental delay
F90.1	Hyperkinetic conduct disorder	314.2	Hyperkinetic conduct disorder

ICD-10		ICD-9		ICD-8	
F90.8	Other hyperkinetic disorders	314.8	Other hyperkinetic syndromes of childhood		
F90.9	Hyperkinetic disorder, unspecified	314.9	Unspecified hyperkinetic syndrome of childhood		
<u>F91</u>	<u>Conduct disorders</u>			308.1	Conduct disorders of childhood
F91.0	Conduct disorder confined to the family context	312.8	Other disturbance of conduct		
F91.1	Unsocialized conduct disorder	312.0	Unsocialized disturbance of conduct		
F91.2	Socialized conduct disorder	312.1	Socialized disturbance of conduct		
F91.3	Oppositional defiant disorder	312.8	Other disturbance of conduct		
F91.8	Other conduct disorders	312.8	Other disturbance of conduct		
F91.9	Conduct disorder, unspecified	312.9	Unspecified disturbance of conduct		
<u>F92</u>	<u>Mixed disorders of conduct and emotions</u>)	312.3	Mixed disturbance of conduct and emotions	308.2	Mixed conduct-neurotic behaviour disorders of childhood
F92.0	Depressive conduct disorder)				
F92.8	Other mixed disorders of conduct and emotions)				
F92.9	Mixed disorder of conduct and emotion, unspecified)				
<u>F93</u>	<u>Emotional disorders with</u>			308.4	Adjustment reaction of childhood

ICD-10	ICD-9	ICD-8
<u>onset specific to childhood</u>		
F93.0	Separation anxiety disorder of childhood	309.2 Adjustment reaction with predominant disturbance of other emotions <i>Abnormal separation anxiety</i>
F93.1	Phobic anxiety disorder of childhood	313.0 Disturbance of emotions specific to childhood and adolescence, with anxiety and fearfulness
F93.2	Social anxiety disorder of childhood	313.2 Disturbance of emotions specific to childhood and adolescence, with sensitivity, shyness and social withdrawal
F93.3	Sibling rivalry disorder	313.3 Disturbance of emotions specific to childhood and adolescence with relationship problems
F93.8	Other childhood emotional disorders	313.8 Other or mixed, and
F93.9	Childhood emotional disorder, unspecified	313.9 Unspecified disturbance of emotions specific to childhood and adolescence
F94	<u>Disorders of social functioning with onset specific to childhood and adolescence</u>	308.4 Adjustment reaction of childhood
F94.0	Elective mutism	309.8 Other adjustment reaction with elective mutism

ICD-10		ICD-9		ICD-8	
F94.1	Reactive attachment disorder of childhood)	313.3	Disturbance of emotions specific to childhood and adolescence, with relationship problems		
F94.2	Disinhibited attachment disorder of childhood)				
F94.8	Other childhood disorders of social functioning)				
F94.9	Childhood disorders of social functioning unspecified)				
<u>F95</u>	<u>Tic disorders</u>)	307.2	Tics	306.2	Tics
F95.0	Transient tic disorder)				
F95.1	Chronic motor or vocal tic disorder)				
F95.2	Combined vocal and multiple motor tic disorder)				
F95.8	Other tic disorders)				
F95.9	Tic disorders, unspecified)				
<u>F98</u>	<u>Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence</u>				
F98.0	Nonorganic enuresis	307.6	Enuresis	306.6	Enuresis
F98.1	Nonorganic encopresis	307.7	Encopresis	306.7	Encopresis
F98.2	Feeding disorder of infancy and childhood)	307.5	Other and unspecified disorders of eating	306.5	Feeding disturbances
F98.3	Pica of infancy and childhood)				
F98.4	Stereotyped movement disorder	307.3	Stereotyped repetitive	306.3	Other psychomotor

ICD-10		ICD-9		ICD-8	
			movements		disorders
F98.5	Stuttering)	307.0	Stammering and stuttering	306.0	Speech disturbances
F98.6	Cluttering)				
F98.8	Other specified, and)	307.9	Other specified and	306.9	Other special symptoms
F98.9	Unspecified behavioural and)		unspecified symptoms		not elsewhere classified
	emotional disorders with onset)		and syndromes not		
	usually occurring in childhood)		elsewhere classified		
	and adolescence)				
<u>F99</u>	<u>Mental disorder, not otherwise</u>		No equivalent code		No equivalent code
	<u>specified</u>				